

Notice of Allowability	Application No.	Applicant(s)	
	09/008,241	STUTZ ET AL.	
	Examiner	Art Unit	
	St. John Courtenay III	3992	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to to the supplemental declaration received Nov. 30, 2004 and after final response (1-24-05).
2. The allowed claim(s) is/are 1-53.
3. The drawings filed on _____ are accepted by the Examiner.
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date see "other".


Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other See Continuation Sheet.


 St. John Courtenay III
 Primary Examiner
 Art Unit: 3992

Continuation of Attachment(s) 9. Other. See notice of allowability herewith. (approved drawing correction attached).



ST. JOHN COURtenay III
PRIMARY EXAMINER

In the Drawings

The attached sheet of drawings includes changes to Figure 5. This sheet replaces the original, corresponding drawing sheet.

The attached sheet is a copy of the original Figure 5, in which the characters in the shading areas are clearly shown.

The changes are in response to the Draftsperson's request that characters be shown clearly in the shading areas.

Approved
STYL 2-25-2005

Inventor (s): Stutz et al.
Date of Deposit: March 15, 2001
Title: OBJECT CONNECTION POINTS
Attorney Matter No.: 3382-58687/BCF
Replacement Sheet 1 of 1

Stephen A. Wight
Jarquist Sparkman, LLP
1218 S.W. Salmon Street, Suite 1600
Portland, Oregon 97204
(503) 226-7391




FIG. 5